Product Catalog EZISURG MEDICAL





Products by Category





easyEndo™ Linear Cutting Staplers and Loading Units for Single Use

	Stapler Code	Product Description	Package (BX)
© management	F12S	easyEndo [™] Linear Cutting Stapler, 70mm length, 12mm diameter	1
2 manager	F12M	easyEndo [™] Linear Cutting Stapler, 160mm length, 12mm diameter	1
A comment	F12L	easyEndo [™] Linear Cutting Stapler, 250mm length, 12mm diameter	1

	Loading Unit Code	Product Description	Package (BX)
	FDU45W	45mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
and the last to the No.	FDU45B	45mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
	FDU45G	45mm length, open staple height 4.8mm, closed staple height 2.0mm, Green	6
	FDU60B	60mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
N. P. L. L.	FDU60G	60mm length, open staple height 4.8mm, closed staple height 2.0mm, Green	6



easyEndo™ Universal Linear Cutting Staplers and Loading Units for Single Use

	Stapler Code	Product Description	Package (BX)
To the result	U12S	easyEndo™ Universal Linear Cutting Stapler, 70mm length, 12mm diameter	1
The second secon	U12M	easyEndo™ Universal Linear Cutting Stapler, 160mm length, 12mm diameter	1
	U12L	easyEndo™ Universal Linear Cutting Stapler, 250mm length, 12mm diameter	1

FLEX Loading Units	Loading Unit Code	Product Description	Package (BX)
	R30W	30mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
	R30B	30mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
	R45W	45mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
	R45B	45mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
	R45C	45mm length, open staple height 3.8mm, closed staple height 1.7mm, Gold	6
	R45G	45mm length, open staple height 4.1mm, closed staple height 2.0mm, Green	6



easyEndo™ Universal Linear Cutting Staplers and Loading Units for Single Use

FLEX Loading Units	Loading Unit Code	Product Description	Package (BX)
	R60W	60mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
	R60B	60mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
	R60C	60mm length, open staple height 3.8mm, closed staple height 1.7mm, Gold	6
	R60G	60mm length, open staple height 4.1mm, closed staple height 2.0mm, Green	6



easyEndo™ Universal Linear Cutting Staplers and Loading Units for Single Use

PRO Loading Units	Loading Unit Code	Product Description	Package (BX)
The same of the sa	L30W	30mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
Ler note man and Nach	L30B	30mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
- Lorenza - Vide	L45W	45mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
1 comment of the second	L45B	45mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
· James on · · · · · · · · · · · · · · · · · ·	L45C	45mm length, open staple height 3.8mm, closed staple height 1.7mm, Gold	6
	L45G	45mm length, open staple height 4.1mm, closed staple height 2.0mm, Green	6
lorenza vy	L60W	60mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
lateran vipe	L60B	60mm length, open staple height 3.5mm, closed staple height 1.5mm, Blue	6
- I common vision	L60C	60mm length, open staple height 3.8mm, closed staple height 1.7mm, Gold	6
I standard to the	L60G	60mm length, open staple height 4.1mm, closed staple height 2.0mm, Green	6



easyLC™
Linear Cutter Staplers and Loading Units for Single Use

	Stapler Code	Product Description	Package (BX)
to self-wind cities	LCE60	60mm length, with cartridge LCC60W, open staple height 2.5mm	1
To our spectrum	LCE60B	60mm length, with cartridge LCC60B, open staple height 3.8mm	1
Compression Compre	LCE60G	60mm length, with cartridge LCC60G, open staple height 4.8mm	1
or and constitute	LCE80	80mm length, with cartridge LCC80B, open staple height 3.8mm	1
The second secon	LCE80G	80mm length, with cartridge LCC80G, open staple height 4.8mm	1
or seed of the contract of the	LCE60X	60mm length, without cartridge, compatible with LCC60W LCC60B LCC60G	1
AT AND THE GOOD OF	LCE80X	80mm length, without cartridge, compatible with LCC80B, LCC80G	1



easyLC™
Linear Cutter Staplers and Loading Units for Single Use

Loading Unit Code	Product Description	Package (BX)
LCC60W	60mm length, open staple height 2.5mm, closed staple height 1.0mm, White	6
LCC60B	60mm length, open staple height 3.8mm, closed staple height 1.5mm, Blue	6
LCC60G	60mm length, open staple height 4.8mm, closed staple height 2.0mm, Green	6
LCC80B	80mm length, open staple height 3.8mm, closed staple height 1.5mm, Blue	6
LCC80G	80mm length, open staple height 4.8mm, closed staple height 2.0mm, Green	6



easyCS™
Circular Staplers for Single Use

Product Code	Product Description	Package (BX)
CS2135	Anvil diameter 21mm, open staple height 3.5mm, Sky Blue	1
CS2148	Anvil diameter 21mm, open staple height 4.8mm, Sky Blue	1
CS2535	Anvil diameter 25mm, open staple height 3.5mm, White	1
CS2548	Anvil diameter 25mm, open staple height 4.8mm, White	1
CS2935	Anvil diameter 29mm, open staple height 3.5mm, Dark Blue	1
CS2948	Anvil diameter 29mm, open staple height 4.8mm, Dark Blue	1
CS3148	Anvil diameter 31mm, open staple height 4.8mm, Green	1
CS3348	Anvil diameter 33mm, open staple height 4.8mm, Yellow	1

easyPPH™ Hemorrhoidal Staplers for Single Use

Product Code	Product Description	Package (BX)
PPH33	Outer Diameter 33mm, open staple height 3.5mm, Green	1



easyUS™ Ultrasonic Surgical Systems

	Product Code	Product Description	Package (BX)
S S S	ES01	easyUS [™] Ultrasonic Surgical Systems Generator	1
	FSU01	easyUS™ Ultrasonic Surgical Systems Footswitch	1
	eHP01	easyUS [™] 55.5kHz Handpiece	1
	SHC23A	easyUS [™] Shear, 23cm shaft, curved blade	1
	SHC36A	easyUS™ Shear, 36cm shaft, curved blade	1



EZISURG MEDICAL CO., LTD.

Add: Bldg.1-A,199 Tianxiong Rd., Pudong New

District, Shanghai 201318, China

Tel: +86-21-5045 6176
Fax: +86-21-5067 6156
Email: service@ezisurg.com
Website: www.ezisurg.com